

AK BEND APK 35 (1008-840422)



Control type
konventionell

Construction year
2023

Machine no.
1008-840422

Make
AK BEND

Location
Ahaus

- ** Exhibition machine from 2023
- ** with only approx. 2x operating hours
- ** Condition as NEW
- ** Special price on request

Equipment:

- robust electro-motorized ring/profile bending machine
- machine base frame, with rear shelf
- horizontal and vertical work possible
- 1x freely movable foot switch
- segmented standard rollers (divided)
- 2x motor-driven rollers
- manual delivery of the top roller
- analog position display of the top rollers (scale)
- manually adjustable side/straightening rollers
- CE mark / declaration of conformity
- operating instructions in German

Machine attributes

I - beam section - flat steel:	120 x 15 (d 750) mm
I-beam section - upend:	60 x 10 (d 800) mm
L-beam:	50 x 5 (d 1200) mm
round material:	35,0 (d 800) mm
bar material dia. max.:	70 x 2 (d 1200) mm
square material:	50 x 40 x 3 mm
bending speed:	4,3 m/min
roll diam. toproll:	155 mm
bore:	50,0 mm
total power requirement:	1,5 kW
weight:	320 kg
range L-W-H:	730 x 830 x 1350 mm

Machine images





© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH

