

/

## AK BEND AS-M 90-10/3.0 (1125-840012)



**Control type**  
 konventionell

**Machine no.**  
 1125-840012

**Make**  
 AK BEND

**Location**  
 48683 Ahaus

### Furnishing:

- Robust electro-mechanical bending machine
- 2x central rollers driven by an electric motor (top and bottom roller)
- Top roller can be swiveled out manually, with folding bearing
- including conical bending device
- freely movable control panel
- Lower roller manually adjustable, by hand wheel
- asymmetrical roller arrangement
- self-braking main motor
- Safety device (safety line with switch unit)
- CE mark/Declaration of Conformity

### Special equipment included in the price:

- hardened rollers
- Motorized side roller adjustment
- Digital position display for motor-driven adjustable side roller

## Machine attributes

sheet width:	1050 mm
plate thickness:	3.3 mm
pre-bending:	3.0 mm
roll length:	1050 mm
roll diameter:	90.0 mm
min. dia.:	130 mm
engine output:	1.10 kW
weight:	570 kg
range L-W-H:	1.800 x 800 x 1.130 mm

## Machine images



**Papenburg**  
Heinz Sanders GmbH  
Friederikenstraße 100  
26871 Papenburg  
info@heinz-sanders.de

**Niederlangen**  
Heinz Sanders GmbH  
Fresenburger Weg 4  
49779 Niederlangen  
maschinen@heinz-sanders.de

**Spelle**  
Heinz Sanders GmbH  
Robert-Bosch-Straße 9  
48480 Spelle  
spelle@heinz-sanders.de

