

AK BEND ASM 130-15/4.0 (1125-840009)



Control type
 konventionell

Construction year
 2024

Machine no.
 1125-840009

Make
 AK BEND

Location
 Ahaus

** Exhibition machine from 2024

** with only approx. 2x operating hours

** Condition as NEW

** Special price on request

Equipment:

- robust electro-mechanical round bending machine
- 2x central rollers driven by electric motor (upper & lower roller)
- upper roller can be swiveled out manually, with folding bearing
- including conical bending device
- freely movable control panel
- lower roller can be adjusted manually, using a handwheel
- asymmetrical roller arrangement
- self-braking main motor
- safety device (safety line with switch unit)
- CE mark/declaration of conformity

Special equipment included in the price:

- hardened rollers

- motorized side roller adjustment
- digital position display for motorized adjustable side roller

Machine attributes

sheet width:	1550 mm
plate thickness:	4.5 mm
pre-bending:	4.0 mm
roll length:	1550 mm
min. dia.:	190 mm
roll diam. toproll:	130 mm
bending speed:	5.3 m/min
engine output:	2.2 kW
weight:	1360 kg
range L-W-H:	2320 x 900 x 1200 mm

Machine images



Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de



