Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de

AK BEND ASM 140-20/4 (1008-8400093)



Control type
konventionell

Machine no.
1008-8400093

Make
AK BEND

Location
Ahaus

Furnishing:
- Robust electro-mechanical bending machine
- 2x central rollers driven by an electric motor (top and bottom roller)
- Top roller can be swiveled out manually, with folding bearing
- including conical bending device
- freely movable control panel
- Lower roller manually adjustable, by hand wheel
- asymmetrical roller arrangement
- self-braking main motor
- Safety device (safety line with switch unit)
- CE mark/Declaration of Conformity


Special equipment included in the price:
- hardened rollers
- Motorized side roller adjustment
- Digital position display for motor-driven adjustable side roller

Machine attributes

sheet width:	2050 mm
plate thickness:	4,5 mm max.
plate thickness:	4,0 mm anbiegen
roll length:	2050 mm
min. dia.:	210 mm
roll diam. toproll:	140 mm
weight:	1530 kg
range L-W-H:	3220 x 1200 x 900 mm

Machine images









Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de



