

AK BEND ASM 140-20 / 4.0 (1125-8400093)



Control type
 konventionell

Construction year
 2026

Machine no.
 1125-8400093

Make
 AK BEND

Location
 48683 Ahaus

** Exhibition machine from 2026

** With only approx. 2 operating hours

** Condition like new

** Special price on request

Features:

- Robust electromechanical bending machine
- 2 central rollers driven by electric motors (top & bottom rollers)
- Top roller manually swivels out, with hinged bearing
- Includes tapered bending attachment
- Freely movable control panel
- Bottom roller manually adjustable via handwheel
- Asymmetrical roller arrangement
- Self-braking main motor
- Safety device (safety tether with switch unit)
- CE marking/Declaration of Conformity

Optional equipment included in the price:




- Hardened rollers

- Motorized side roller adjustment
- Digital position display for motorized adjustable side roller

Machine attributes

sheet width:	2050 mm
plate thickness:	4,5 mm max.
plate thickness:	4,0 mm anbiegen
roll length:	2050 mm
min. dia.:	210 mm
roll diam. toproll:	140 mm
weight:	1530 kg
range L-W-H:	3220 x 1200 x 900 mm

Machine images



Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de

