

## AKYAPAK APK 61 (1125-2360009)



**Control type**  
konventionell

**Construction year**  
NEU

**Machine no.**  
1125-2360009

**Make**  
AKYAPAK

**Location**  
49779 Niederlangen

- hydraulic roller drive
- Planetary gear delivery of the 2 lower rollers
- for extra small bending radii
- hardened tool holder (42CrMo4)
- Standard roller set, hardened
- lateral straightening rollers
- mobile control panel
- 3 powered rollers
- Digital display
- Machine can be used horizontally and vertically
- CE mark / declaration of conformity
- User manual in German

## Machine attributes

|                                |                         |
|--------------------------------|-------------------------|
| I - beam section - flat steel: | 80 x 20 (d 1200) mm     |
| I-beam section - upend:        | 80 x 25 (d 2100) mm     |
| L-beam:                        | 50 x 50 x 6 (d 1000) mm |
| bar material - diameter:       | 40,0 (d 800) mm         |
| tube diameter:                 | 70 x 2 (d 1600) mm      |
| square material:               | 60x60x3 (d 4000) mm     |
| total power requirement:       | 4,75 kW                 |
| weight of the machine ca.:     | 1080 kg                 |
| dimensions of the machine ca.: | 0,95 x 1,4 x 1,45 mm    |

## Machine images



