

ALZMETALL AB 60 /HST (1125-3100035)



Control type
konventionell

Construction year
1995

Machine no.
1125-3100035

Make
ALZMETALL

Column drilling machine OPTIdrill DP 33V promotion set / 3020680SET
With an electronically controllable drive in a modern design

- * Industrial engine
- * Quiet running spindle thanks to new spindle design
- * Machine operation with safety electronics in 24 V direct current
- * Guaranteed concentricity = 0.02 mm in the measured drilling spindle
- * Clockwise/counterclockwise rotation
- * Precision spindle bore
- * Control panel with user-friendly, dirt and water resistant
- * Membrane keyboard
- * RPM display
- * Separate emergency stop button
- * Tapping function
- * Precisely crafted, stable drill table with diagonal T-slots
with all-round cooling water channel, can be tilted sideways by $\pm 45^\circ$ and
rotated by 360°
- * Drilling depth stop
- * LED machine light integrated in the drill head

- * V-belt cover with safety switch
- * Thick-walled steel column for high power absorption and stability
- * Solid, large base plate with T-slots
- * Execution of the entire machine

Scope of delivery:

- Keyless drill chuck 0 - 16 mm
- T-Nuts
- expectors
- Operating tool
- BMP 160 machine vice

Machine attributes

bore capacity in steel (diameter):	60 mm
throat:	400 mm
bore stroke:	240 mm
:	5
speeds:	63 - 1250 U/min
table-size:	840 x 670 mm
total power requirement:	4 / 5,5 kW
weight:	1450 kg
dimensions:	1000 x 1400 x 2450 mm


Machine images



© Heinz Sanders GmbH



© Heinz Sanders GmbH



© Heinz Sanders GmbH

