

ALZMETALL ALZSTAR 30 iTRONIC (1125-8100652)



Control type
konventionell

Machine no.
1125-8100652

Make
ALZMETALL

Location
48683 Ahaus

** NEW ALZMETALL MODEL RANGE **

7 "TFT - LCD display with touch function:

- * Spindle speed setpoint
- * Actual speed display
- * Integrated drilling depth display
- * with touch zero point transfer
- * Virtual drilling depth scale in the display
- * Machine status displays and warnings in the display
- * Service information
- * Selectable user language: DE / EN / FR / ES / IT / NL / RU.

Furnishing:

- Infinitely variable speed setting by means of an adjusting lever
- Spindle protection with electrical fuse
- Three separate buttons for clockwise rotation - counterclockwise rotation - stop

- Mushroom pushbutton (latching) for EMERGENCY STOP
- Main switch, lockable
- Right and left rotation by contactor control
- Control voltage 24 volts
- Protection class IP 54
- Painting: DD textured paint, signal white RAL 9003 PANTONE 7545c, black

Machine attributes

bore capacity in steel (diameter):	30.0 mm
throat:	293 mm
bore stroke:	140 mm
morse taper:	3 MK
table::	515 x 360 mm
turning speeds:	225 - 4300 U/min
column diameter:	115 mm
distance spindle /table:	132 / 724 mm
engine output:	1.0 / 1.6 kW
weight:	260 kg
Machine height:	1790 mm

Machine images





