Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de

ALZMETALL AX 3 iTRONIC-V (1008-8100657)



Control type
konventionell

Machine no.
1008-8100657

Make
ALZMETALL

Location
Ahaus

** NEW ALZMETALL MODEL RANGE **

7 "TFT - LCD display with touch function:
* Spindle speed setpoint
* Actual speed display
* Integrated drilling depth display
* with touch zero point transfer
* Virtual drilling depth scale in the display
* Machine status displays and warnings in the display
* Service information
* Selectable user language: DE / EN / FR / ES / IT / NL / RU.

Furnishing:
- Thread cutting device
* for thread cutting with a stop
* max. 6 threads / min (thread cutting performance depends on the spindle speed)
* Thread depth adjustable via depth stop

* in the TFT - LCD display (3 tools).
- Infinitely variable speed setting by means of an adjusting lever
- automatic spindle feed with feed overload protection
- Spindle protection with electrical fuse
- Three separate buttons for clockwise rotation - counterclockwise rotation - stop
- Mushroom pushbutton (latching) for EMERGENCY STOP
- Main switch, lockable
- Right and left rotation by contactor control
- Control voltage 24 volts
- Protection class IP 54
- Paint: DD textured paint signal white RAL 9003, PANTONE 7545c, black
- Machine oil first filling: oil bottle, loose delivery

including special accessories:
- 25. Coolant system B.

Machine attributes

bore capacity in steel (diameter):	40.0 mm
throat:	293 mm
bore stroke:	120 mm
morse taper:	3 MK
table::	515 x 360 mm
turning speeds:	160 - 2250 U/min
column diameter:	115 mm
thread:	M 24 ST60
thread:	M 30 GG20
feed:	0.10 + 0.20 mm/U
distance spindle /table:	117 / 701 mm
engine output:	1.0 / 1.6 kW
weight:	270 kg
Machine height:	1840 mm

Machine images





HEINZ SANDERS
MASCHINEN
WERKZEUGE
SCHWEISSTECHNIK

Maschinen

www.heinz-sanders.de

Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de













Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de

