

## ATLANTIC HPAT 40.300 (1125-9308408)



**Control type**  
 konventionell

**Construction year**  
 1991

**Machine no.**  
 1125-9308408

**Make**  
 ATLANTIC

**Location**  
 48683 Ahaus

\*\* well-maintained condition (!!)

- in checked condition - machine video -  
<https://www.youtube.com/watch?v=rPOBwTfVReo>

Equipment:

- simple, conventional hydraulic press brake
- swiveling control panel, left front
- electro-motoric back stop (X axis)
- \* adjustment via front control panel (button)
- \* with analog position display
- \* fine adjustment via handwheel, front
- with 3x stop fingers, manually adjustable
- electro-motoric depth adjustment (Y1+Y2 axis)
- \* with analog position display
- 1x split set of 85° deer foot upper tool
- 1x MultiV - universal die block, with several V-openings
- 2x front, stable support arms
- 1x freely movable double foot switch

- 1x freely movable 2-hand control
- side safety device (swivelling doors)
- rear safety device (sliding door)
- original operating instructions

## Machine attributes

pressure:	300 t
chamfer length:	4100 mm
distance between columns:	3710 mm
stroke - stepless adjustable:	250 mm
column arm:	330 mm
daylight:	500 mm
table height:	940 mm
table width:	250 mm
working feed:	7.0 mm/sec
return speed:	90.0 mm/sec
Control:	konv.
operating pressure:	max. 305 bar
voltage:	380 V
total power requirement:	22.5 kW
weight:	25200 kg
range L-W-H:	4320 x 2100 x 3370 mm

## Machine images





