Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de

AWI PAAV 10t 6000x2000mm (1125-2540032)



Control type
konventionell

Construction year
NEU

Machine no.
1125-2540032

Make
AWI

Location
49779 Niederlangen

Heavy-duty trailers - industrial trailers, available immediately from stock

Frame:
- Frame made of stable profile steel
- Platform made of impregnated softwood
- Protected all around with a steel edge, statically designed
- 6 lashing rings welded on

Steering:
- The steering takes place via 2 axles with Ackermann steering
- the steering drawbar is removable and can be hooked in on both sides
- Steering angle approx. 42°
- all rotating parts are with maintenance-free slide bearings (lubricated for life)

Equipped with ball bearings
- Towing eye: 40 mm Ø with wear ring
- Fork support height adjustment for better coupling to the towing vehicle

Wheels

- the trailer is equipped with 4 heavy-duty wheels with elastic rubber covering Ø415mm, total width 200mm and ball bearings.

Machine attributes

:	10000 kg
length:	6000 mm
width:	2000 mm
loading area height:	650 mm

Machine images









HEINZ SANDERS
MASCHINEN
WERKZEUGE
SCHWEISSTECHNIK

Maschinen

www.heinz-sanders.de

Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de









