

Maschinen www.heinz-sanders.de

Papenburg Heinz Sanders GmbH Friederikenstraße 100 26871 Papenburg info@heinz-sanders.de Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de

Heinz Sanders GmbH Robert-Bosch-Straße 9 48480 Spelle spelle@heinz-sanders.de

AWI PAAV 10t 6000x2000mm (1125-2540032)



Control type konventionell

Construction year 2022 (NEU)

Machine no. 1125-2540032

Make AWI

Location 49779 Niederlangen

Heavy-duty trailers - industrial trailers, available immediately from stock

Frame:

- Frame made of stable profile steel
- Platform made of impregnated softwood
- Protected all around with a steel edge, statically designed
- 6 lashing rings welded on

Steering:

- The steering takes place via 2 axles with Ackermann steering
- the steering drawbar is removable and can be hooked in on both sides
- Steering angle approx. 42°
- all rotating parts are with maintenance-free slide bearings (lubricated for life)

Equipped with ball bearings

- Towing eye: 40 mm Ø with wear ring
- Fork support height adjustment for better coupling to the towing vehicle

Wheels

- the trailer is equipped with 4 heavy-duty wheels with elastic rubber covering \varnothing 415mm, total width 200mm and ball bearings.

Machine attributes

: 10000 kg length: 6000 mm width: 2000 mm loading area height: 650 mm

Machine images











Maschinen www.heinz-sanders.de

Papenburg Heinz Sanders GmbH Friederikenstraße 100 26871 Papenburg info@heinz-sanders.de Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de Spelle Heinz Sanders GmbH Robert-Bosch-Straße 9 48480 Spelle spelle@heinz-sanders.de









