

BAYKAL HGL 2100 x 6.0 (1125-9325453)



Control type
NC

Construction year
2006

Machine no.
1125-9325453

Make
BAYKAL

Location
48683 Ahaus

** with only approx. 400 operating hours (!!)

** Original price approx. 30.000 euros

** Special price upon request

Features:

- Robust electro-hydraulic oscillating shear
- ELGO digital display, Model P9521,
- * for electric backgauge
- NC-controlled electric motor-driven material/backgauge
- * Travel range continuously adjustable backgauge X = 750 mm
- * Backgauge with backlash-free ball screw
- * Travel speed: 100 mm/sec
- 1x sturdy side stop
- * with T-slot and millimeter scale
- 1x sturdy support arm
- Electric cut length limiter
- * Cut length limiter to increase the number of strokes per minute
- Manual kerf adjustment
- * Operated centrally from the right-hand side stand


- Front support plates with ball bearings
- Front finger/interference guard
- Jog mode with push buttons on the left control panel
- Protective guard = safety device behind the machine
- Operating instructions (PDF)

Machine attributes

sheet width:	2050 mm
plate thickness:	6.0 mm
thickness at "Niro-steel":	4.0 mm
distance between columns:	2100 mm
down holder:	12 Stück
no. of strokes:	max. 26 Hub/min
cutting angle:	1.6 °
back stop - adjustable:	750 mm
Control:	ELGO
oil volume:	120 ltr.
total power requirement:	11.0 kW
weight:	3900 kg
range L-W-H:	2860 x 2100 x 1560 mm

Machine images





© Heinz Sanders GmbH

TYPENSCHILD	
Hersteller	BAYKAL Mak. San. Tic. A.Ş. Bursa / Türkei
Maschinenart	Hydraulische Tafelschere
Typ	48L 2100x6
Baujahr	11/2005
Maschinen Nr.	10909
Schnittleistung (St42) mm	5
Schnittlänge mm	2100
Betriebsspannung V/Hz/Ph	400/50/3
Motor Leistung kW	11
Arbeitsdruck bar	200
Hübe pro Minute n/min	26
Gewicht Maschine kg	3900
Länge mm	2860
Breite mm	2490
Höhe mm	1560