

## BAYKAL HGL 2600 x 6.0 (1125-9325455)



**Control type**  
 konventionell

**Construction year**  
 2005

**Machine no.**  
 1125-9325455

**Make**  
 BAYKAL

**Location**  
 48683 Ahaus

\*\* with only approx. 370 operating hours (!)

### Features:

- Robust electro-hydraulic oscillating shear
- Digital position display for electric backgauge
- \* Backgauge travel X = 750 mm
- \* Backgauge with backlash-free ball screw
- \* Travel speed 100 mm/sec
- 1x sturdy side stop
- \* With T-slot, flip-stop, and millimeter scale
- 2x sturdy front support arms
- Electric cutting length limiter
- \* Cutting length limiter to increase strokes per minute
- Manual cutting gap adjustment
- \* centrally operated on the left side stand
- front support plates
- front finger/interference guard
- jog mode with push buttons on the control panel
- protective guard = safety device behind the machine

- operating instructions (PDF)

## Machine attributes

sheet width:	2560 mm
plate thickness:	6.0 mm
thickness at "Niro-steel":	4.0 mm
distance between columns:	2600 mm
down holder:	15 Stück
no. of strokes:	max. 24 Hub/min
oil volume:	120 ltr.
cutting angle:	1.6 °
back stop - adjustable:	750 mm
Control:	PRG 911-1
Number of working hours:	ca. 370 h
total power requirement:	11.0 kW
weight:	4700 kg
range L-W-H:	3190 x 2100 x 1560 mm

## Machine images





