Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de

BAYKAL HGL 3100 x 6 (1125-3320099)



Control type
CNC

Construction year
2017

Machine no.
1125-3320099

Make
BAYKAL

Location
49779 Niederlangen

Features:
- Robust electro-hydraulic oscillating shear
- Cybelec CNC control
* Rear stop travel X = 750 mm
* Backlash-free ball screw for rear stop
* Travel speed 100 mm/sec
- 1x sturdy side stop
* with T-slot, flip-stop, and millimeter scale
- 2x sturdy front support arms
- Electric cutting length limiter
* Cutting length limiter to increase strokes per minute
- Manual cutting gap adjustment
* Operated centrally from the right-hand side stand
- Front support plates
- Front finger/interference guard
- Jog mode with push buttons on the control panel on the left
- Protective guard = safety device behind the machine
- Operatorâ??s manual

Machine attributes

sheet width:	3060 mm
plate thickness:	6.0 mm
thickness at "Niro-steel":	4.0 mm
distance between columns:	3100 mm
down holder:	16 Stück
no. of strokes:	max. 10 - 15 Hub/min
oil volume:	160 ltr.
cutting angle:	1.6 °
back stop - adjustable:	6.0 - 750 mm
Control:	Cybelec
total power requirement:	18.5 kW
weight:	6300 kg
range L-W-H:	3900 x 2300 x 1630 mm

Machine images





Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de











