

BAYKAL HGL 3100 x 8 (1125-9325415)



Control type
 NC

Construction year
 1999

Machine no.
 1125-9325415

Make
 BAYKAL

Location
 Ahaus

Features:

- Robust electro-hydraulic swing beam shear
- ELGO digital display model P9521, for electric backgauge
- * Backgauge travel X = 750 mm
- * Backgauge-free ball screw drive
- * Travel speed 100 mm/s
- 1x stable side stop
- * With T-slot, flip-stop, and millimeter scale
- 2x stable front support arms
- Electric cutting length limiter
- * Cutting length limiter to increase the stroke rate/min.
- Manual cutting gap adjustment
- * Centrally operated on the right side stand
- Front support plates
- Front finger/interference guard
- Inching operation with push buttons on the left control panel
- Protective grille = safety device behind the machine
- Operating instructions (PDF)


Machine attributes

sheet width:	3060 mm
plate thickness:	8.0 mm
thickness at "Niro-steel":	6.0 mm
distance between columns:	3100 mm
down holder:	16 Stück
no. of strokes:	max. 10 - 15 Hub/min
oil volume:	160 ltr.
cutting angle:	1.6 °
back stop - adjustable:	6.0 - 750 mm
Control:	ELGO P9521
total power requirement:	18.5 kW
weight:	6300 kg
range L-W-H:	3900 x 2300 x 1630 mm

Machine images



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH




© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH

TYPENSCHILD	
Hersteller	BAYKAL Mak. San. Tic. A.Ş. Bursa / Türkei
Maschinenart	Hydraulische Tafelschere
Typ	H 6 L 3 100 X 8
Baujahr	08 / 1999
Maschinen Nr.	4006
Schnittleistung (St42) mm	6
Schnittlänge mm	3050
Betriebsspannung V/Hz/Ph	380/50/3
Motor Leistung kW	15,5
Arbeitsdruck bar	200
Hübe pro Minute n/min	8
Gewicht Maschine kg	2300
Länge mm	3600
Breite mm	2300
Höhe mm	1830