

BERG & SCHMID VKS 315 (1125-3160043)



Control type
konventionell

Construction year
2010

Machine no.
1125-3160043

Make
BERG & SCHMID

Location
49779 Niederlangen

- The powerful, 2-stage gear was specially designed for cuts in solid material designed
- The user has a total of 4 blade speeds for optimal adjustment the material available
- The large bearing rotary table with internal table clamping and Precision stops at 0/45/60° ensure quick adjustability miter cuts
- The vice with quick clamping (optional is a pneumatic one Vise = MA, available) is with screwed vise jaws
- Mistake. With their ribbing, these ensure optimal hold of the workpiece
- Underframe with lockable door, chip drawer and removable
- Coolant pan with electric coolant pump
- Chip removal brush

Machine attributes

saw blade diameter:	315 mm
dimensions of saw-blade:	350 x 40 x 2,5 mm
cutting diameter:	90 mm
capacity 90 degrees: flat:	150 x 90 mm
capacity 45 degrees: round:	rechts & links 90 mm
capacity 45 degrees: flat:	rechts & links 105 x 90 mm
capacity 60 degrees: round:	90 mm
capacity 60 degrees: flat:	75 x 70 mm
cutting speed:	33 / 66 m/min
total power requirement:	1,8 kW
weight of the machine ca.:	340 kg
dimensions of the machine ca.:	900 x 800 x 1700 mm

Machine images



© Heinz Sanders GmbH



© Heinz Sanders GmbH



© Heinz Sanders GmbH



© Heinz Sanders GmbH

