

BERNARDO B 610 PRO / 400 V - R/L (1125-8101010)



Control type
konventionell

Machine no.
1125-8101010

Make
BERNARDO

Location
Ahaus

Furnishing:

- Surface-machined work table
- Height adjustable via rack and hand crank
- Ground base plate with T-slots for clamping high workpieces
- V-belt drive with balanced drive pulleys for smooth running
- Adjustable drilling depth stop for precise infeed of the quill
- Powerful 2-stage motor, speed range from 80 - 2130 rpm
- Direction of rotation switch for clockwise and counterclockwise rotation included in the scope of delivery
- Cross line laser device for comfortable work
- Compact, stable cast iron construction in a modern design
- Stable and polished steel column, designed for heavy use

Scope of delivery:

- Drill chuck arbor MK 4 / B 18
- Keyless chuck 1 - 16 mm / B 18
- Cam switch for right-left rotation

- Cross line laser device
- T-nuts
- Height-adjustable protective cover

Machine attributes

bore capacity in steel (diameter):	32,0 mm
throat:	255 mm
bore stroke:	120 mm
morse taper:	4 MK
table::	385 x 335 mm
turning speeds:	80 - 2130 U/min
total power requirement:	1,1 / 2,2 kW
weight:	125 kg
range L-W-H:	460 x 900 x 1730 mm

Machine images

© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH

