

BERNARDO BES 250 D (1125-8239001)



Control type
konventionell

Machine no.
1125-8239001

Make
BERNARDO

Location
48683 Ahaus

The BES 250 D brush deburring grinder is ideal for deburring the inner and outer edges of profiles and flat materials. Thanks to its powerful drive motor and robust construction, this machine is ideally suited for professional use in workshops.

Product Features

- Ball-bearing-mounted rotor ensures smooth operation and a long service life
- Ideal for deburring cut edges, removing rust from metal surfaces, and removing paint coatings,...
- Comes standard with a 50 mm diameter suction port for connecting to a dust extraction system
- Powerful and low-noise drive motor
- Low-vibration operation thanks to a sturdy, torsion-resistant machine housing
- Heavy-duty construction and high-quality components
- * Ideal for commercial and industrial use

Scope of Delivery

- Round wire brushes
- Adjustable workpiece support

- Base frame

Machine attributes

diameter of brush:	Ø 250 mm
width of brush:	80.0 mm
turning speed range:	1450 U/min
bore:	Ø 24.0 mm
Wire thickness:	0.3 mm
Dust suction hood:	50.0 mm
voltage:	400 Volt
engine output:	ca. 3.0 kW
weight of the machine ca.:	90.0 kg
range L-W-H:	820 x 450 x 1140 mm

Machine images

© Heinz Sanders GmbH



© Heinz Sanders GmbH



