

BERNARDO GOLIATH 660-3000 Digital (1125-8203152)

© A + B Werkzeuge Maschinen Handels GmbH



Control type
konventionell

Machine no.
1125-8203152

Make
BERNARDO

Location
Ahaus

Scope of delivery

- Slip clutch
- Rapid traverse longitudinal and planar
- LED machine light
- 3-axis digital display ES-12 V with LCD display
- 3-jaw chuck PS3-315 mm / D8
- Clamping disk 630 mm
- Fixed steady rest - passage diameter max. 250 mm
- Follow-on steady rest - passage diameter max. 110 mm
- 1 centering point / 1 follow-on punch point
- Motor with magnetic brake in accordance with CE standard
- Foot pedal with brake function in accordance with CE
- Initial filling with Shell Tellus 46
- Coolant system
- Quick-change tool holder with 4 inserts
- Protective device for quick-change tool holder
- Reducing sleeve

- Chip back wall
- Operating tool

Machine attributes

turning length:	3000 mm
turning diameter:	660 mm
turning dia. in gap:	870 mm
turning diameter over slide:	420 mm
turning speeds:	36 - 1600 U/min
quill::	5 MK
quill travel:	150 mm
spindle bore:	105,0 mm
engine output:	7,5 kW
spindle taper:	DIN 55029 D 1-8
weight of the machine ca.:	3990 kg.
dimensions:	4500 x 1280 x 1650 mm

Machine images


© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH

© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



Papenburg

Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen

Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle

Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de

© A + B Werkzeuge Maschinen Handels GmbH

