

BERNARDO KBR 100 x 2000 DUO (1125-8230081)

© A + B Werkzeuge Maschinen Handels GmbH



Control type
konventionell

Machine no.
1125-8230081

Make
BERNARDO

Location
48683 Ahaus

Furnishing :

- Constant belt tension through spring-loaded tensioning device
- Standard with cylindrical grinding device
- for grinding diameters of diam. 20-76 mm
- Quick and easy setting of the desired grinding angle
- Graphite coating on the flat grinding surface increases the sliding properties of the sanding belt
- Large plan grinding surface with protective cover
- Slow belt speed (15 m / sec.)
- ideal for grinding stainless steel and aluminum
- User-friendly tape change, quick and uncomplicated
- Quick and easy changing of the grinding rollers without tools
- Various grinding angles from 30 ° to 90 ° are possible without any problems
- Shorter processing times compared to milling

scope of delivery

- Sanding belt K 36

- Rubberized sanding roller
- 1 piece sanding roller for 1 1/4 "pipe (42/44 mm pipe)
- 2 pcs. Hinged protective panels
- Sanding and support table
- 2 x dust extraction nozzle diam. 75 mm
- 2 pieces of chip collector
- graphite coating
- Motor protection switch

Machine attributes

width of the strips:	100 mm
band length:	2000 mm
band speed:	15 + 30 m/sel
tube diameter:	20 - 76 mm
angle adjustable from - to:	30 - 90 Grad
Dust suction hood:	2 x 75.0 mm
motor speeds::	1420 / 2660 Upm.
face grinding attachment:	400 x 100 mm
total power requirement:	2.5 / 3.3 kW
weight of the machine ca.:	148 kg.
range L-W-H:	750 x 1400 x 1200 mm

Machine images

© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH




© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH

© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



