

BERNARDO MS 75 x 2000 S-2 (1125-823805)

© A & B Werkzeuge- & Maschinenhandels GmbH



Control type
konventionell

Machine no.
1125-823805

Make
BERNARDO

Location
Ahaus

** Standard with 2 speeds, ideal for grinding stainless steel

properties

- Good sanding performance due to high belt speed
- Quick adjustment for horizontal and inclined position
- Continuous flat grinding surface for optimal grinding of long workpieces
- Constant belt tension through spring-loaded tensioning device
- Universally applicable for grinding edges, surfaces and for cylindrical grinding
- Including quick-release system for quick strap changes
- Simple adjustment of the parallel belt run by means of an adjusting screw
- Graphite coating on the flat grinding surface increases the sliding properties of the Sanding belt

scope of delivery

- Sanding belt K 80
- Hinged protective screen

- Sanding and support table
- workpiece stop
- Dust extraction nozzle
- Separate off button
- underframe

Machine attributes

width of the strips:	75.0 mm
band length:	2000 mm
band speed:	14.5 + 29 m/sek
grinding width:	460 x 75 Plantisch mm
Dust suction hood:	100 mm
total power requirement:	3.0 kW 100% ED
weight of the machine ca.:	67.0 kg
range L-W-H:	1080 x 440 x 1000 mm

Machine images

© A & B Werkzeuge- & Maschinenhandels GmbH



© A & B Werkzeuge- & Maschinenhandels GmbH



© A & B Werkzeuge- & Maschinenhandels GmbH

