

BERNARDO RD 1250x50 (1125-8110014)



Control type
konventionell

Machine no.
1125-8110014

Make
BERNARDO

Location
Ahaus

Furnishing:

- Large-sized base plate, ideal for processing large workpieces
- Thick-walled, polished column for increased sliding properties of the boom
- Extension arm and drill head with independent hydraulic clamping
- Simple height adjustment of the extension arm using a lifting motor
- Ideal for drilling, countersinking, reaming and thread cutting
- Hardened and ground gears, running in an oil bath
- Good gliding ability of the drill head on the boom
- sanded surface

Scope of delivery:


- Cube table
- Drill chuck arbor MK 5 / B 16
- Reducing sleeves MK 5/4, MK 4/3, MK3 / 2
- LED machine light
- First filling with Shell Tellus 46
- coolant device
- lifting motor
- hydraulic motor

- operating tool
- Height-adjustable protective cover

Machine attributes

bore capacity in steel (diameter):	50,0 mm
arm length:	320 - 1.220 mm
workpiece height max.:	330 - 1.170 mm
turning speeds:	25 - 2000 U/min
spindle taper MT:	5 MK
base plate:	1300 x 980 mm
threading:	42 M
quill stroke:	335 mm
total power requirement:	4,0 kW
weight of the machine ca.:	3000 kg.
range L-W-H:	2035 x 1000 x 2830 mm

Machine images



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH

