

BERNARDO RD 1600x50 (1125-8110012)



Control type
konventionell

Machine no.
1125-8110012

Make
BERNARDO

Location
Ahaus

Description :

- Large-sized base plate
- ideal for processing large workpieces
- Thick-walled, polished column for increased sliding properties of the boom
- Extension arm and drill head with independent hydraulic clamping
- Simple height adjustment of the extension arm using a lifting motor
- Ideal for drilling, countersinking, reaming and thread cutting
- Hardened and ground gears, running in an oil bath
- Good sliding of the drill head on the boom thanks to the ground surface

scope of delivery :

- Cube table
- Reducing sleeves MK 5/4, MK 4/3, MK3 / 2
- LED machine light
- First filling with Shell Tellus 46
- coolant device
- lifting motor
- hydraulic motor
- operating tool

- Height-adjustable protective cover

Machine attributes

bore capacity in steel (diameter):	50,0 mm
arm length:	350 - 1.590 mm
workpiece height max.:	645 - 1.240 mm
turning speeds:	25 - 2000 U/min
spindle taper MT:	5 MK
base plate:	980 x 1.600 mm
threading:	42 M
quill stroke:	320 mm
total power requirement:	4,0 kW
weight of the machine ca.:	3.500 kg.
range L-W-H:	2450 x 980 x 2840 mm

Machine images





