Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de

BERNARDO SB 30 Profi (1125-8100269)



Control type
konventionell

Construction year
2024

Machine no.
1125-8100269

Make
BERNARDO

Location
48683 Ahaus

Furnishing:
- Compact, stable cast iron construction in a modern design
- Infinitely variable speed control
- is changed The speed is read on a digital display
- Table height adjustment via rack and crank
- Right and left rotation of the quill for thread cutting
- Powerful 2-stage motor, speed range from 105 - 1725 rpm
- Base plate with T-slots for clamping high workpieces
- Safety switch with undervoltage release
- The spindle runs in the precision ball bearing

scope of delivery
- Key chuck 1 - 13 mm / B 16
- Drill chuck arbor MK 3 / B 16
- Reducing sleeve MK 3/2
- Digital speed display
- LED machine light
- Height-adjustable protective cover

Machine attributes

bore capacity in steel (diameter):	32.0 mm
throat:	230 mm
bore stroke:	120 mm
morse taper:	3 MK
table::	400 x 320 mm
turning speeds:	105 - 1725 U/min
total power requirement:	1.2 kW
weight:	245 kg
range L-W-H:	470 x 810 x 1710 mm

Machine images

© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de

© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH

