


BERNARDO SMART 410-1500 PRO (1125-8203164)



Control type
konventionell

Machine no.
1125-8203164

Make
BERNARDO

Location
Ahaus

Equipment:

- 3-axis digital display ES-12 V with LCD display
- 3-jaw chuck DK11-200 mm / D6
- Clamping disk 350 mm
- Fixed steady rest - passage diameter max. 135 mm
- Follow-on steady rest - passage diameter max. 65 mm
- Coolant system
- Quadruple tool holder
- Protective device for quadruple tool holder
- Micrometer longitudinal stop
- Slip clutch
- Turret stop with fine adjustment
- Thread gauge
- Motor with magnetic brake according to CE standard
- Foot pedal with brake function according to CE
- Initial filling with Shell Tellus 46
- LED machine light

- Change gears
- Reduction sleeve
- 2 centering points
- Chip back wall
- Operating tools
- Operating instructions

Machine attributes

turning length:	1500 mm
turning diameter:	420 mm
swing diameter over bed slide:	255 mm
turning dia. in gap:	580 mm
spindle bore:	52.0 mm
turning speeds:	45 - 1800 U/min
bed width:	250 mm
spindle taper:	DIN 55029 D 1-6
taper in tailstock:	4 MK
quill travel:	140 mm
total power requirement:	3.0 / 4.5 kW
weight of the machine ca.:	1400 kg
range L-W-H:	2570 x 900 x 1600 mm



Machine images

RA 2.5 Werkzeuge Maschinen Handel GmbH



RA 2.5 Werkzeuge Maschinen Handel GmbH





© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH

