

BERNARDO TBS 1020 (1125-8355020)

© A + B Werkzeuge Maschinen Handels GmbH



Control type
konventionell

Machine no.
1125-8355020

Make
BERNARDO

Location
Ahaus

Furnishing:

- Segmented upper and bending beam for a wide variety of bending options
- Clamping by means of a foot pedal
- Hands remain free for optimal positioning of the sheet
- Universally applicable bending machine for plumbing and repair shops
- Robust construction in a modern design
- Manual bending machine for standard bending tasks
- Segmented upper beam for a large number of bending options
- Optimal price-performance ratio
- Quick and easy bending process using a bow handle
- Non-slip rubber coating on the foot pedal for safe working
- Easy adjustment of the lower beam to the respective sheet thickness
- High upper beam for producing high-edged profiles

Scope of delivery :


- Segmented upper cheek
- Segmented lower cheek
- manual backgauge
- bending segments 25 | 30 | 35 | 40 | 45 | 50 | 75 | 100 | 150 | 200 | 270 mm

Machine attributes

sheet width:	1020 mm
plate thickness:	2,0 mm
daylight opening:	48 mm
bending angle max.:	0 - 135 °
work height max.:	900 mm
total power requirement:	von Hand kW
weight of the machine ca.:	285 kg
dimensions of the machine ca.:	1350 x 820 x 1140 mm

Machine images

© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH




© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH

© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH

