

BERNARDO TBS 2060 (1125-8355078)

© A + B Werkzeuge Maschinen Handels GmbH



Control type
konventionell

Machine no.
1125-8355078

Make
BERNARDO

Location
Ahaus

- Segmented upper beam for a large number of bending options
- Universally applicable bending machine for plumbing and repair shops
- High upper beam for the production of high-edged profiles
- Quick and easy bending process using a bow handle
- Easy adjustment of the upper beam for efficient work
- The bending angle is set using a scale
- Individually removable segments for bending boxes
- Robust construction in a modern design

Furnishing :

- segmented upper beam + bending beam
- Foot clamp
- Fixed stop for angle adjustment
- back gauge
- bending segments 38 | 38 | 38 | 50 | 50 | 50 | 50 | 76 | 76 | 101 | 127 | 152
| 203 | 254 | 254 | 254 | 254 mm

Machine attributes

sheet width:	2065 mm
plate thickness:	1,20 mm
daylight opening:	mit WZ 35,0 mm
daylight opening:	ohne WZ 60,0 mm
bending angle max.:	0 - 135 °
total power requirement:	manuell
weight of the machine ca.:	520 kg.
dimensions of the machine ca.:	2400 x 1115 x 1150 mm


Machine images

© A + B Werkzeuge Maschinen Handels GmbH




© A + B Werkzeuge Maschinen Handels GmbH

© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



Papenburg

Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen

Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle

Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de

