Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de

BERNARDO WB 200 S (1125-8362007)



Control type
konventionell

Machine no.
1125-8362007

Make
BERNARDO

Location
48683 Ahaus

Features
- For precise cold and hot bending of flat, round and square steels
- Sturdy design for bolting to the workbench
- Infinitely adjustable bending stop
- With eccentric quick clamping for efficient working
- Readable bending angle up to 120
- High repeat accuracy thanks to bending angle stop
- Ideal for repair workshops and locksmiths

- - - - -

Bending performance "cold" :

Flat steel 100 x 7 mm
65 x 12 mm
Round steel 22.0 mm
Square steel 20 x 20 mm
Angle steel 100 x 10 mm

- - - - -

Bending capacity "hot" :

Flat steel 100 x 15 mm
75 x 20 mm
Round steel 27.0 mm
Square steel 25 x 25 mm
Angle steel 100 x 15 mm

- - - - -

Scope of delivery
- Bending plate
- Angle stop stepless
- Clamping block with eccentric clamp
- Material stop

Machine attributes


square edge steel:	20x20 / 25x25 mm
flat steel:	100 x 7.0 mm
round bar steel:	22.0 / 27.0 mm
L-beam:	100 x 10 mm
weight of the machine ca.:	33.0 kg.
range L-W-H:	900 x 430 x 310 mm

Machine images

© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH

TECHNISCHE SPEZIFIKATIONEN

Biegeleistung*	kalt	warm
Flachstahl	100 x 7 mm	100 x 15 mm
	65 x 12 mm	75 x 20 mm
Rundstahl	22 mm	27 mm
Vierkantstahl	20 x 20 mm	25 x 25 mm
Winkelstahl	100 x 10 mm	100 x 15 mm
Kupfer	100 x 12 mm	
Aluminium	100 x 15 mm	
Maschinenabmessung (B x T x H)	900 x 430 x 310 mm	
Gewicht ca.	33 kg	

* Materialfestigkeit 400 N/mm²