

BEYELER EURO IV 60 x 2050 (1125-9308455)



Control type
CNC

Construction year
1995

Machine no.
1125-9308455

Make
BEYELER

Location
Ahaus

** Machine from a workshop for the disabled

** very good / well-maintained condition (!!)

- in checked conditions - machinevideo -

<https://www.youtube.com/watch?v=jileVh2DvNA>

Equipment:

- CNC electro-hydraulic press brake
- CNC CYBELEC EURO IV control unit
- * High-resolution screen
- * Clear, easy-to-read menus in the operator's language
- * Tool & product library
- * Front right control panel, pivoting
- CNC-controlled axes: Y1 + Y2 + X + R axes
- CNC electro-motorized backgauge (X axis)
- * Max. travel 500 mm
- * Travel speed 180 mm/sec.

- CNC electro-motorized height adjustment (R axis)
- * Max. travel 130 mm
- * Travel speed 50 mm/sec.
- 3 manually adjustable stop fingers
- BEYELER electro-hydraulic top tool clamping
- * Includes adapter from BEYELER to AMADA tools
- * 1 bending tool set
- Manual table crowning - including analog value scale
- * Adjustment via hand crank
- * Includes adapter rail for BEYELER tools
- 2 front material/sheet support arms
- 1 freely movable two-hand control unit
- 1 freely movable foot switch
- Side guards (2 hinged doors)
- Rear guards (1 hinged door)
- Operating instructions for machine and control system

Machine attributes

pressure:	60.0 t
chamfer lenght:	2050 mm
distance between columns:	1550 mm
column arm:	255 mm
stroke:	165 mm
daylighth:	360 mm
table height:	890 mm
working feed:	7.0 mm/sec
return speed:	85.0 mm/sec
back stop - adjustable:	max. 500 mm
Control:	EURO IV
oil volume:	100 ltr.
total power requirement:	5.5 kW
weight:	4600 kg
range L-W-H:	2700 x 1450 x 2400 mm

Machine images






© A + B Werkzeuge Maschinen Handels GmbH




© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH




© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH

© A + B Werkzeuge Maschinen Handels GmbH

  Blechbearbeitungsmaschinen GmbH Mühlhäuser Straße 3 D-99867 Gotha Tel. (03621) 3830 - Fax (03621) 383383		
TYPE	EURO IV 60x2080	TYP
N°	95/220/002	Nr
Année Jahr Year	1995	Anno År Jaar
Tension Netzspannung Tension	3x400 V	Tensione Nätspänning Netspanning
Fréquence Netzfrequenz Frequency	50 Hz	Frequenza Frekuens Frequency
Puissance Anschlußleistung Power	5,5 kW	Potenza Strömstyrka Vermogen
Fusible max. Max. Vorsicherung Max. Fuse	25 A	Fusibile max. Max. Säkring Max. Zekering
Poids total Gewicht Weight	4600 kg	Peso Wikt Gewicht