

BOSCHERT EVO LINE 300 digital (1125-9412199)



Control type
konventionell

Construction year
2012

Machine no.
1125-9412199

Make
BOSCHERT

Location
48683 Ahaus

** New price including accessories approx. 35,000 euros

** Special price on request

!! The machine was used continuously in a test area
and as a result has very few operating hours !!!

The ECCO LINE hydraulic punching machine has been specially optimized for the processing of sheet metal and profile parts. It is characterized by its The machines of the ECCO LINE series are equipped with a punching force of LINE series are equipped with 28 tons of punching force in conjunction with the proven Trumpf tool system. Tool change time approx. 15 sec (manual)

Mode of operation: After installing the tool, the stops are positioned in X and Y are positioned accordingly and the material is pushed against the stops. By the hole is then punched by pressing the foot pedal

Features of the machine:

- Maintenance-free hydraulic drive
- Stepless stroke adjustment
- Compact unit
- Constant punching force

Features:


- Robust electro-hydraulic hole punch
 - TRUMPF tool system with many insert tools
 - Stop system with digital displays
 - * Magnetic scale integrated into the side of the machine table
 - * Scanning head integrated in the stops
 - * Energy guiding chains for supply line to the scanning head
 - * Evaluation electronics
 - * Position indicators mounted on the stops
 - * Stake-out device for zeroing the axes
 - * Readout accuracy ± 0.1 mm
 - Control panel: set-up, single and continuous stroke
 - Stepless stroke height adjustment
 - Free-moving foot switch
- * with many punching tools !

Machine attributes

working area:	X .. 370 mm
working area:	Y .. 700 mm
pressure:	28.0 t
plate thickness:	max. 12.7 mm ST
throat:	310 mm
height of stroke:	0 - 40 mm
no. of strokes:	max. 180 Hub/min
punch diameter:	max. 105 mm
:	845 x 1420 mm
work height max.:	900 mm
oil volume:	50.0 l
total power requirement:	5.0 kW
weight of the machine ca.:	1800 kg
range L-W-H:	1800 x 1200 x 1500 mm

Machine images





BOSCHERT

Typ / type	EL 300 Digital
Nr. / no.	1461
Baujahr / year of construction	05.2012
Netz / power line	3 x 400 / 50 Hz
Anschlußleistung / connection voltage	6 kVA
Steuerspannung / control voltage	24 / 230 V ⁻
Erforderliche Absicherung / requisite fuse protection	3 x 16 A

D-79451 Lörrach-Haungen Germany
 Tel.: +49 / (0) 7621 / 9593 0 www.boschert.de
 Fax: +49 / (0) 7621 / 55184 info@boschert.de