

# Maschinen www.heinz-sanders.de

Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de

Heinz Sanders GmbH Robert-Bosch-Straße 9 48480 Spelle spelle@heinz-sanders.de

## **CAIR COMPANY CairMobil 730 Plus** (1125-8489064)



Control type konventionell

**Machine no.** 1125-8489064

Make
CAIR COMPANY

**Location**Ahaus

#### Description:

- mobile craftsman piston compressor
- High-quality processed, 2-stage compressor block
- with 2 cast iron cylinders and optimum efficiency
- Finely ribbed cylinder and cylinder head for optimal temperature dissipation
- low compressor speed to reduce the compression temperature and minimizing wear and tear
- Very low residual oil content in the compressed air thanks to precision piston rings
- Generously dimensioned solid rubber wheels and castors at the front
- the start-up relief takes place via a mechanical vent valve
- powder-coated compressed air tank in RAL 7035
- Built in accordance with the European Pressure Equipment Directive
- all fittings are sealed with easily removable special adhesive and can easily be exchanged if necessary

The standard scope of delivery includes:

- Condor pressure switch MDR 3
- a high quality filter pressure reducer
- two pressure gauges
- a condensate drain tap
- a pre-assembled connection cable with 5-pin. connector and phase reversal

### **Machine attributes**

feed pressure: 10,0 bar intake capacity: 727 L/min Effective free air delivery: 582 L/min Receiver capacity: 90,0 Ltr. motor: 400 V power capacity: 4,0 kW weight of the machine ca.: 91,0 kg.

dimensions of the machine ca.: 1040 x 450 x 850 mm

### **Machine images**