

DURMA CNC3 HAP 40.160 (1125-9308495)



Control type
CNC

Construction year
2003

Machine no.
1125-9308495

Make
DURMA

Location
48683 Ahaus

- ** Original price ~ 85.000 Euro
- ** From a maintenance workshop
- ** Well-maintained condition (!!)
- ** Includes optional equipment

- in checked conditions - machinevideo -
<https://www.youtube.com/watch?v=pleltYCKXDQ>

Equipment:

- Electro-hydraulic CNC press brake
- With DELEM CNC control unit
- * Swiveling control panel (front right)
- * Tool & program library
- * Simple CNC programming
- CNC-controlled axes: Y1 + Y2 + X + R + CNC crowning
- CNC motorized backgauge (X-axis)
- * With 4x manually adjustable stop fingers (Z-axis)
- CNC motorized height adjustment (R-axis)
- WILA CNC bed crowning system

- WILA electro-hydraulic upper tool clamping
- * Incl. sectionalized set of 28° acute-angle punches
- * Incl. WILA hydraulic power unit
- WILA manual lower tool clamping
- * Incl. die adapter rail (width 77 mm)
- * Incl. WILA tool holder (width 13 mm)
- 2x sliding front support arms
- Side safety guards (swiveling doors)
- Rear safety guard (swiveling door)
- 1x movable foot pedal
- Operating manual

Machine attributes

pressure:	160 t
chamfer lenght:	4100 mm
distance between columns:	3100 mm
daylighth:	370 mm
stroke of upper beam:	200 mm
throat:	500 mm
ajustment speed:	100 mm/sec
working feed:	9.0 mm/sec
return speed:	86.0 mm/sec
work height max.:	ca. 900 mm
back stop - adjustable:	max. 500 mm
Control:	CYBELEC
oil volume:	150 l
total power requirement:	15.0 kW
weight:	12000 kg
range L-W-H:	5100 x 2100 x 2750 mm

Machine images





SANDERS

HEINZ

MASCHINEN
WERKZEUGE
SCHWEISSTECHNIK

Maschinen

www.heinz-sanders.de

Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen
Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle
Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de

© Heinz Sanders GmbH

durmazlar 1956 **CE**

TYPE CMC YAP-40150

MANUFACTURING YEAR BAUJAHR ANNO DI COSTRUZIONE ROK VÝROBY ROK PRODUKCI TILLVERKNINGSÅR	ANO DE FABRICACION ANNEE FABRICATION VALMISTUSUODSI BYGGÅR BOUWJAAR	2003	
MACHINE NO MÁSCH. NR MATRICOLA VÝROBNÍ ČÍSLO NUMER MASZYN SERIENUMMER	N° DE SERIE N° DE SERIE VALMISTUSNUMERO MÁSKINNIR SERIE - NUMMER	753303453	
CAPACITY KAPAZITAT CAPACITA KAPACITA NACISK KAPACITET	CAPACIDAD CAPACITE TCHO KAPASITET CAPACITEIT	150	TON
STROKE HUB CORS ZDVH SKOK SKOK	CARRERA COURSE ISKUNPITUUS SLAG SLAG	200	mm
STROKE IN A MINUTE HUBZAHL PRO MIN. COLPI AL MINUTO POČET ZDVHU ZA MIN. CYKLE NA MINUTE SLAG / MINUT	GOLPES POR MINUTO COUPS PAR MINUTE ISKULUKU SLAGANTALL PR. MIN. AANTAL SLAGEN / MIN	8	1/min
LUBRICANT CAPACITY OL TANK KAPAZITAT CAPACITA' SERBATOIO OLEJAVNA NAPLŇ POJEMNOSĆ ZBIORNIKA OLJETANKENS RYMD	LAPACIDAD DE LUBRICANTE CAPACITE RESERVOIR ÖLJYMÄÄRÄ KAPACITET OLJETANK TANK INIHUUD	150	lt
TOP TOOL WEIGHT GEWICHT OBERWERKZEUG PESO UTENSILIO SUPERIORE HMOTNOST H NÁSTROJE CIĘŻAR NARZ. GÓRNEGO ÖVERVERKTÖGETS VIKT	PESO DEL PUNZON POIDS DU POINSON ALATOKALUN PAINO VEKT ÖVERVERKTÖY GEWICHT BOVENSTEMPEL	55	Kg
BOTTOM TOOL WEIGHT GEWICHT UNTERWERKZEUG PESO UTENSILIO INFERIORE HMOTNOST S NÁSTROJE CIĘŻAR NARZ. DOŁNEGO ÖNDERVERKTÖGETS VIKT	PESO DE LA MATRIZ POIDS DE LA MATRICE ALATOKALUN PAINO VEKT ÖNDERVERKTÖY GEWICHT MATRIJS	77	Kg
WIDTH BREITE LARGHEZZA ŠÍŘKA SZEROKOŚĆ DUP	ANCHÖ LARGEUR LLEVEYS BREEDTE	2100	mm
LENGTH LANGE LUNGHEZZA DŁUGOŚĆ LARGO	LARGO LONGUEUR PITUUS LENGDE LENGTE	5100	mm
HEIGHT HÖHE ALTEZZA VÝŠKA WYSOKOŚĆ HOJD	ALTO HAUTEUR KORKEUS HOEYDE HOOGTE	2750	mm
WEIGHT GEWICHT PESO HMOTNOST CIĘŻAR MÁSKINNIR	PESO POIDS PAINO VEKT GEWICHT	12000	Kg

DURMAZLAR MAKİNA SANAYİ VE TİCARET A.Ş.
Organize Sanayi Bölgesi 75. Yıl Bulvarı BURSA / TÜRKİYE
Tel : (0 224) 241 80 00 pbx. Fax : (0 224) 242 75 80

ETK - 10C2 REV 3