

## DURMA DHGM 3013 (1125-9325438)



**Control type**  
konventionell

**Construction year**  
2000

**Machine no.**  
1125-9325438

**Make**  
DURMA

**Location**  
48683 Ahaus

### Features:



- Robust electro-hydraulic swing pruning shears
- Operation, swivels to the front left
- Electro-motorized backgauge
- \* on recirculating ball screws
- \* Movement by push-button (forwards backwards)
- \* including ELGO digital position indicator
- Manual quick cutting gap adjustment
- \* by eccentric (right side stand)
- Machine stand with overhang
- 1x long side stop, with mm scale
- 2x front support arms, with mm scale
- Ball rollers in the front support table
- Hinged front finger guard
- 1x free-moving foot switch
- Rear safety device (protective grille)
- 2x front emergency stop button
- Operating instructions (PDF)

## Machine attributes

sheet width:	3100 mm
plate thickness:	13.0 mm
thickness at "Niro-steel":	8.0 mm
down holder:	14 Stück
no. of strokes:	max. 11 Hub/min
cutting angle:	1°15
work height max.:	770 mm
column arm:	? mm
oil volume:	300 ltr.
control:	konv.
total power requirement:	15.0 kW
weight:	11800 kg
range L-W-H:	4255 x 2250 x 2400 mm


## Machine images







© Heinz Sanders GmbH

		CE
TYPE	DHGM 3013	
MANUFACTURING YEAR BAUJAHR ANNEE FABRICATION	2000	
MACHINE NO MASCH - NR N'DE SERIE	6083001697	
CAPACITY KAPAZITÄT CAPACITE	3100 X 13	
STROKE HUB COURSE	155	mm
STROKE IN A MINUTE HUBZAHL PRO MIN COURSE PAR MINUTE	11	1/min
LUBRICANT CAPACITY. ÖLTANK KAPAZITÄT CAPACITE RESERVOIR	330	lt
TOP TOOL WEIGHT GEWICHT OBERWERKZEUG POIDS OUTIL SUP.	—	Kg
BOTTOM TOOL WEIGHT GEWICHT UNTERWERKZEUG POIDS OUTIL INF.	—	Kg
WIDTH BREITE LARGEUR	3150	mm
LENGTH LÄNGE LONGUEUR	4255	mm
HEIGHT HÖHE HAUTEUR	2250	mm
WEIGHT GEWICHT POIDS	11400	Kg
<p><b>DURMAZLAR MAKİNA SANAYİ ve TİCARET A.Ş.</b> Yeni Yalova Yolu 4. Km BURSA / TÜRKİYE Tel: (0224) 211 43 10 (10 Lines) Fax: (0224) 211 44 10-11-12 <b>MADE IN TÜRKİYE</b></p>		