

Maschinen www.heinz-sanders.de

Papenburg Heinz Sanders GmbH Friederikenstraße 100 26871 Papenburg info@heinz-sanders.de Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de

Heinz Sanders GmbH Robert-Bosch-Straße 9 48480 Spelle spelle@heinz-sanders.de

DURMA HAP 30.120 (1125-9308477)



Control type NC

Construction year 1998

Machine no. 1125-9308477

Make DURMA

Equipment:

- NC electro-hydraulic press brakes
- with NEW ELGO NC control unit "P40"
- * New price approx. 4.000 Euro
- * Control / movement of the backgauge X axis (target/actual input)
- * Control / movement of the depth setting Y axes (target/actual input)
- * Inching mode for X axis Y axes also possible
- Swivel operation, front left
- NC controlled axes : Y1 Y2 X
- NC electro-motorized backgauge (X axis)
- * with 2x manually adjustable stop fingers
- * including lateral and height adjustment (Z R axis)
- 1x branded set of upper tools (split)
- 1x branded Multi-V bottom die block
- Lateral safety guard (hinged doors)
- Rear safety guard (hinged door)
- 1x free-moving 2-hand/foot control
- Operating instructions (PDF)

Machine attributes

120 t pressure: chamfer lenght: 3050 mm distance between columns: 2550 mm stroke of upper beam: 155 mm throat: 350 mm ajustment speed: 100 mm/sec working feed: 9.0 mm/sec return speed: 77.0 mm/sec Control: "P 40" work height max.: 878 mm table width: 104 mm oil volume: 150 I total power requirement: 11.0 kW weight: 7550 kg

range L-W-H: 3550 x 2150 x 2600 mm

Machine images







Maschinen www.heinz-sanders.de

Papenburg Heinz Sanders GmbH Friederikenstraße 100 26871 Papenburg info@heinz-sanders.de Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de Spelle Heinz Sanders GmbH Robert-Bosch-Straße 9 48480 Spelle spelle@heinz-sanders.de











Maschinen www.heinz-sanders.de

Papenburg Heinz Sanders GmbH Friederikenstraße 100 26871 Papenburg info@heinz-sanders.de Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de **Spelle**Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de

TYPE	HAP 30	100
MANUFACTURING YEAR BAUJAHR	THAT SO	120
ANNEE FABRICATION MACHINE NO	1998	
MASCH - NR N'DE SERIE CAPACITY	7042981826	
KAPAZITÄT CAPACITE	120	TON
STROKE HUB COURSE	160	mm
STROKE IN A MINUTE HUBZAHL PRO MIN COURSE PAR MINUTE	9	1/min
LUBRICANT CAPACITY. ÖLTANK KAPAZITÄT CAPACITE RESERVOIR	150	It
TOP TOOL WEIGHT GEWICHT OBERWERKZEUG POIDS OUTIL SUP.	102	Кд
BOTTOM TOOL WEIGHT GEWICHT UNTERWERKZEUG POIDS OUTIL INF.	212	Кд
WIDTH BREITE LARGEUR	2150	mm
LENGTH LÄNGE LONGUEUR	3300	mm
HEIGHT HÖHE HAUTEUR	2600	mm
WEIGHT GEWICHT POIDS	7500	Kg