

DURMA HAP 30.160 (1125-9308480)



Control type
NC

Construction year
2008

Machine no.
1125-9308480

Make
DURMA

Features:

- NC electro-hydraulic press brakes
- with DURMA NC control "ERD 110M"
- * Illuminated LCD display
- * X-axis control & value display
- * Y-axis control & value display
- Swiveling operator panel, front left
- NC controlled axes: Y1/Y2 + X
- NC electro-motorized backgauge (X-axis)
- * with 2x manually adjustable stop fingers
- * including lateral and height adjustment (Z+R axes)
- NC electro-motorized depth adjustment (Y-axis)
- Manual bending table crowning
- * Adjustment via hand crank
- * with analog value display
- AMADA/PROMECAM upper tool holder
- * with upper wedge crowning & quick-change adapter
- * Split deer foot upper tool (AMADA)
- AMADA/PROMECAM lower tool holder

* Split 4V universal die, in die shoe


- 2x front Laying arms
- Side guard (swinging doors)
- Rear guard (swinging door)
- LAZER SAFE safety device (not functional)
- 1x freely movable foot switch
- Operating instructions (PDF)

Machine attributes

pressure:	160 t
chamfer lenght:	3050 mm
distance between columns:	2550 mm
stroke of upper beam:	175 mm
daylighth:	240 mm
throat:	350 mm
working feed:	9.0 mm/sec
return speed:	86.0 mm/sec
work height max.:	ca. 920 mm
Control:	ERD 110 M
oil volume:	150 l
total power requirement:	15.0 kW
weight:	9300 kg
range L-W-H:	4250 x 2170 x 2800 mm

Machine images





© Heinz Sanders GmbH ETK-0102

hesse+co		CE
blechpower maschinen und werkzeuge		
TYPE	HAP 30160	
MANUFACTURING YEAR BAUJAHR ANNEE FABRICATION	2008	
MACHINE NO MASCH - NR N° DE SERIE	7051087596	
CAPACITY KAPAZITÄT CAPACITE	3050 X 160 TON	
STROKE HUB COURSE	175	mm
STROKE IN A MINUTE HUBZAHL PRO MIN COURSE PAR MINUTE	—	1/min
LUBRICANT CAPACITY ÖLTANK KAPAZITÄT CAPACITE RESERVOIR	150	lt
TOP TOOL WEIGHT GEWICHT OBERWERKZEUG POIDS OUTIL SUP.	40	Kg
BOTTOM TOOL WEIGHT GEWICHT UNTERWERKZEUG POIDS OUTIL INF.	55	Kg
WIDTH BREITE LARGEUR	2170	mm
LENGTH LÄNGE LONGUEUR	4250	mm
HEIGHT HÖHE HAUTEUR	2800	mm
WEIGHT GEWICHT POIDS	9300	Kg
hesse+co blechpower maschinen und werkzeuge Industriezentrum NOE-Sued Strasse 4 Objekt 8 A-2351 Wiener Neudorf/AUSTRIA tel.: +43/2236/63870-0 fax: +43/2236/63662 www.hesse-maschinen.com		