

DURMA SBT 3006 NT (1125-9325366)



Control type
NC

Construction year
2006

Machine no.
1125-9325366

Make
DURMA

Location
Ahaus

** from a maintenance workshop (!!)

** good condition

** new price ~ 35.000 euros

electric / hydraulic swing cut shears

* with DURMA ENC 100 control

* manual cutting gap adjustment

Equipment:

- NC electro-hydraulic swing cut shears

- with NC control - DURMA "ENC 100", pivoting - front left

* back stop pre-selection - X axis

* quantity

* cutting length limitation

* pivoting operation, front left

- NC electro-motor-controlled back stop

* travel = 1.000 mm (X axis)

* on ball screws

* travel speed 200 mm/sec.

- manual cutting gap adjustment, via eccentric adjustment

- hydraulic hold-down device

- 1x side stop 1.500 mm including mm scale

- 2x front support arms 1.000 mm

- ball rollers in the front support table

* including recessed grips

- hinged finger guard, with safety switch

- 1x freely movable foot switch

- original operating instructions

Machine attributes

sheet width:	3100 mm
plate thickness:	6.0 mm
thickness at "Niro-steel":	4.0 mm
distance between columns:	3120 mm
down holder:	16 Stück
oil volume:	200 ltr.
no. of strokes:	15 Hub/min
cutting angle:	1°30
control:	ENC 100
table width:	500 mm
throat:	50.0 mm
total power requirement:	15.0 KW
weight:	7650 kg
range L-W-H:	4110 x 2200 x 2100 mm

Machine images





SANDERS

HEINZ

MASCHINEN
WERKZEUGE
SCHWEISSTECHNIK

Maschinen

www.heinz-sanders.de

Papenburg

Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen

Heinz Sanders GmbH
Fresenburger Weg 4
49779 Niederlangen
maschinen@heinz-sanders.de

Spelle

Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de

© A + B Werkzeuge Maschinen Handels GmbH

TYPE		SB 3006 N1	
MANUFACTURING YEAR ANNO DI COSTRUZIONE ROK VYROBY ROK PRODUKCJS TILVERKINGSJAAR	- AÑO DE FABRICACIÓN - ANNEE FABRICATION - VALMISTUSVUOSI - BYGGÅR - BOUWJAAR	2006	
MACHINE NO MÁCHIN-NR MATRICOLA VÝROBNÍ ČÍSLO NUMER MASZYN SERIE-NUMMER	- N°DE SERIE - N°DE SERIE - VALMISTUSNUMERO - MASHINNR. - SERIE-NUMMER	8079064527	
CAPACITY KAPAZITÁT CAPACITA' KAPACITA' KAPACITET KAPACITEIT	- CAPACIDAD - CAPACITE - TEHO - KAPASITET - CAPACITEIT	3100x3mm	
STROKE HUB COURSE ZDVH SKOK SKOG	- CARRERA - COURSE - ISKUNPTUUS - SLAG - SLAG	106	mm
STROKE IN A MINUTE HUBZAHL PRO MIN. COUP/AL MINUTE POČET ZDVHŮ ZA MIN. CYKLE NA MINUTE SLAG/MINUT	- GOLPES POR MINUTO - COUPS PAR MINUTE - ISKULUKU - SLAGANTALL PR. MIN. - AANTAL SLAGEN/MIN	16	1/min
LUBRICANT CAPACITY OLTANK KAPAZITÁT CAPACITA' SERBATOIO OLEJAVÁ NÁPLŇ POLEWNOŚĆ ZBIORNIKA OLJETANKENS RYMÖ	- CAPACIDAD DEL LUBRICANTE - CAPACITE RESERVOIR - ÖLJYMÄÄRÄ - KAPASITEIT OLJETANK - TANK INHOUD	170	lt
TOP TOOL WEIGHT GEWICHT OBERWERKZEUG PESO UTENSILE SUPERIORE HMOTNOST H.NASTROJE CIĘŻAR NARZ. GÓRNEGO ÖVERVERKTYGETS VIKT	- PESO DEL PUNZÓN - POIDS DU POINSON - TLÁČKOVÁLUN PAINO - VEKT ÖVERVERKTOEY - GEWICHT BOVENSTEMPEL	-	Kg
BOTTOM TOOL WEIGHT GEWICHT UNTERWERKZEUG PESO UTENSILE INFERIORE HMOTNOST S.NASTROJE CIĘŻAR NARZ. DOŁNEGO UNDERVERKTYGETS VIKT	- PESO DE LA MATRIZ - POIDS DELA MATRICE - ALATYOKALUN PAINO - VEKT UNDERVERKTOEY - GEWICHT MATRIJS	-	Kg
WIDTH BREITE LARGHEZZA ŠÍŘKA SZEROKOŚĆ DUUR	- ANCHO - LARGEUR - LEVEYS - BREEDTE - BREEDTE	2150	mm
LENGTH LARGHEZZA DŁUGA DŁUGOŚĆ LÄNGD	- LARGO - LONGUEUR - PITUUS - LENGDE - LENGTE	4200	mm
HEIGHT HÖHE ALTEZZA VÝŠKA WYSOKOŚĆ HOOG	- ALTO - HAUTEUR - KORKEUS - HOEYDE - HOOGTE	2000	mm
WEIGHT GEWICHT PESO HMOTNOST CIĘŻAR MASKINVIKT	- PESO - POIDS - PAINO - VEKT - GEWICHT	6670	Kg

DURMAZLAR MAKİNA SANAYİ ve TİCARET A.Ş.
Organize Sanayi Bölgesi 75. Yıl Bulvarı BURSA / TÜRKİYE
Tel: (0 224) 241 80 00 pbx. Fax : (0 224) 242 75 80

ETK-1062 REV.5