

EHT ECOCUT 10-31 (1125-9325412)



Control type
NC

Construction year
1998

Machine no.
1125-9325412

Make
EHT

Location
Ahaus

** Good / well-maintained condition

** With special accessories (!!)

Equipment:

- NC electro-hydraulic guillotine shear "Sliding Guided"
- Heavy-duty / stable welded construction (machine body)
- NC ELGO digital control unit "P8721"
- NC electro-motorized backgauge on recirculating ball screws
- Electro-hydraulic cutting angle adjustment
- * Front analog cutting angle display
- 1x stable side stop, with T-slot and mm scale
- 3x stable support arms, with T-slot and mm scale
- Ball transfer units in the work table including recessed grips
- Front finger guard - foldable at the front
- 1x freely movable foot switch
- 2x emergency stop buttons at the front
- Operating instructions (PDF)

Special accessories included:

- Pneumatic sheet holding device for thin sheet metal blanks

* Movable - on casters

- 1x used Set of scissor blades

Machine attributes

sheet width:	3050 mm
plate thickness:	10.0 mm
thickness at "Niro-steel":	6.0 - 8.0 mm
down holder:	13 Stück
distance between columns:	3070 mm
cutting angle:	1.0 - 4.0 °
no. of strokes:	~ 22 Hub/min
Control:	ELGO P8721
oil volume:	240 l
voltage:	400 V
total power requirement:	17.0 kW
weight:	8000 kg
range L-W-H:	3550 x 2350 x 1900 mm

Machine images



© A + B Werkzeuge Maschinen Handels GmbH




© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH

EHT
WERKZEUGMASCHINEN

EHT Werkzeugmaschinen GmbH
Postfach/P.O.-Box/B.P. 1113
D-79325 Teningen/Germany
Emmendinger Str. 21
D-79331 Teningen/Germany

Maschinentyp	ECOCUT 17/10-31		
Werks-Nr.	107839/W	Schnittlänge	3050 mm
Baujahr	1998	Schnittdicke	10 mm
		Werkstofffestigkeit	450 N/mm²
		Ölmenge	240 l
Stromart	3 ~	Frequenz	50 Hz
Betriebsspannung	400 V		
Steuerspannung	24V DC V		
Nennstrom	34 A		
Nennstrom der Hauptsicherung	MAX. 63 A		
Leistung des Hauptmotors	17 kW		
Elektro-Schaltplan Nr.	TT1842		
Steuerungstyp	ELGO P 8/21		