

EHT TSS 4-30 (1125-9325463)



Control type
NC

Construction year
2000

Machine no.
1125-9325463

Make
EHT

Location
48683 Ahaus

** from a maintenance workshop

** good condition (!!)

Features:

- Electro-hydraulic sheet metal shear ("swing cut")
- Machine frame = all-steel welded construction
- ELGO NC control system, Model P8721, control panel on the front left
- * for positioning the electrically driven backgauge
- * Target/actual position value input possible
- * Adjustment via three-phase motor using a toothed belt
- Support table with ball bearings
- * Recessed handles between the table plates
- Front finger guard
- Hydraulic sheet metal hold-down devices
- 1x side stop with mm scale
- 2x front support arms with mm scale
- 1x freely movable foot switch
- Emergency stop button at the front
- 1x movable / rear scrap deflector

- Original operating instructions

** Special accessories included:

- EHT pneumatic sheet metal holding device for thin sheet metal blanks

Machine attributes

sheet width:	3100 mm
plate thickness:	4.0 mm
thickness at "Niro-steel":	2.5 mm
cutting angle adjustment:	1.0 °
back stop - adjustable:	10 - 1000 mm
adjustment speed:	180 mm/s
down holder:	21 Stück
strokes per minute:	18 - 31
column arm:	200 mm
Control:	ELGO P8721
oil volume:	160 L
0:	max. 300 bar
voltage:	400 V
main drive:	7.5 kW
weight of the machine ca.:	4800 kg.
dimensions of the machine ca.:	3660 x 2070 x 2140 mm

Machine images





© Heinz Sanders GmbH

EHT
WERKZEUGMASCHINEN

EHT Werkzeugmaschinen GmbH
Emmendinger Str. 21
D-79331 Teningen
Germany
Fon: +49(0)7641/4609-0

Maschinentyp	TSS 4-30		
Werks-Nr.	108 046/W	Schnittlänge	3100 mm
Baujahr	2000	Schnittdicke	4 mm
		Werkstofffestigkeit	450 N/mm ²
		Ölmenge	160 l
Stromart	3 ~	Frequenz	50 Hz
Betriebsspannung	400 V		
Steuerspannung	24VDC V		
Nennstrom	35 A		
Nennstrom der Hauptsicherung max.	50 A		
Leistung des Hauptmotors	7,5 kW		
Elektro-Schaltplan Nr.	150 370		
Steuerungstyp	Elgo P8721		