

ERBEND UFA 1212 (1125-2350002)



Control type
konventionell

Construction year
NEU

Machine no.
1125-2350002

Make
ERBEND

Manual folding machine FSBM 1020-20 HSG / 3770103

- The workpiece is clamped using a foot pedal, so both hands remain free for material feed
- Different tool variants available E, S2, HS2 and HSG
- The strong auxiliary cylinder makes bending easier
- Wide clearance between the upper and lower beam of up to 25 mm
- Self-lubricating slide bearings
- Clamping pressure of the upper beam can be easily adjusted using handy knurled screws
- Adjustment of the material thickness by means of a knurled screw
- Adjustable stop for bending angle

Equipment details:

FSBM 1020-20 HSG

- With segmented goat foot tools, segmented bending bar and segmented bed pad
- Segments have a hardness of HRC24-26


VA steel 1.2 mm
Aluminum 2.4 mm

Machine attributes

:	Biegewinkel 135°
sheet width:	1250 mm
plate thickness:	1,25 mm
distance between columns:	1370 mm
Daylight opening:	100 mm
weight of the machine ca.:	350 kg
dimensions of the machine ca.:	1715 x 750 x 1400 mm

Machine images





© Heinz Sanders GmbH

© A + B Werkzeuge Maschinen Handels GmbH