

ERMAK CNC HGD 3100-10 (1125-8321061)



Control type
CNC

Machine no.
1125-8321061

Make
ERMAK

Location
Ahaus

heavy electr. / hydraulic CNC swing cut shears

* with CYBELEC CNC touch screen control

* with electr. / hydr. Kerf adjustment

Furnishing:

- CNC electr. / hydraulic swing cut shears

- CYBELEC CNC touch screen controller, model CybTouch 8

* Backgauge preselection - X axis

* Cutting gap adjustment

* Quantity

* Cutting length limitation

* Material preselection, including sheet thickness

* Cutting line lighting

- motorized backgauge, travel = 1,000 mm (X axis)

* on ball screws

* autom. Can be folded up at max.travel, for longer cuts

- 1x side stop
- 2x front support arms
- Ball rollers in the front support table
- hinged finger protection, with safety switch
- BOSCH / HOERBIGER hydraulic system
- SIEMENS electrical system
- light barrier behind the machine (safety device)
- foot switch
- CE mark / declaration of conformity
- User manual: machine and control in German

Machine attributes

sheet width:	3100 mm
plate thickness:	10,0 mm
thickness at "Niro-steel":	6,0 mm
down holder:	14 Stück
no. of strokes:	13 Hub/min
oil volume:	260 ltr.
cutting angle:	2,0 °
throat:	350 mm
engine output:	22,0 kW
back stop - adjustable:	1.000 mm
weight:	10.575 kg.
range L-W-H:	4,05 x 2,5 x 2,17 m

Machine images



© A + B Werkzeuge Maschinen Handels GmbH




© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH

© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



