

Maschinen www.heinz-sanders.de

Papenburg Heinz Sanders GmbH Friederikenstraße 100 26871 Papenburg info@heinz-sanders.de

Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de **Spelle**Heinz Sanders GmbH
Robert-Bosch-Straße 9
48480 Spelle
spelle@heinz-sanders.de

ERMAK CNC HGS 2100x6 (1125-2320006)



Control type CNC

Construction year NEU

Machine no. 1125-2320006

Make ERMAK

* Available from stock

electrical / hydraulic CNC swing cutting shear

- * with CYBELEC CNC touch screen control
- * with electric / hydr. Cutting gap adjustment

Furnishing:

- CNC electrical / hydraulic swing cutting shears
- CYBELEC CNC touch screen controller, model CybTouch 8
- * Backgauge preselection X axis
- * Cutting gap adjustment
- * Number of pieces
- * Cutting length limitation
- * Material selection, including sheet thickness
- * Cutting line lighting
- motorized back gauge, travel = 1,000 mm (X axis)
- * on ball screws

- * automatic Can be folded up at maximum travel distance, for longer cuts
- 1x side stop
- 2x front support arms
- Ball rollers in the front support table
- hinged finger protection, with safety switch
- BOSCH/HOERBIGER hydraulic system
- SIEMENS electrical system
- Light barrier behind the machine (safety device)
- Footswitch
- CE mark/declaration of conformity
- Operating manual: machine and control in German

Machine attributes

sheet width: 2100 mm plate thickness: 6 mm 1000 mm rear stop: 1,2 ° cutting angle: down holder: 11 Stk no. of strokes: 28 Hub/min oil volume: 150 I 11 kW total power requirement:

dimensions of the machine ca.: 3010 x 2100 x 1640 mm

weight: 4500 kg

Machine images







Maschinen www.heinz-sanders.de

Papenburg Heinz Sanders GmbH Friederikenstraße 100 26871 Papenburg info@heinz-sanders.de Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de Spelle Heinz Sanders GmbH Robert-Bosch-Straße 9 48480 Spelle spelle@heinz-sanders.de





