

## ERMAK CNC HGS 2600-8 (1008-8321020)



**Control type**  
CNC

**Machine no.**  
1008-8321020

**Make**  
ERMAK

**Location**  
Ahaus

electr. / hydraulic CNC swing cut shears  
\* with CYBELEC CNC touch screen control  
\* with electr. / hydr. Kerf adjustment

### Furnishing:

- CNC electr. / hydraulic swing cut shears
- CYBELEC CNC touch screen controller, model CybTouch 8
- \* Backgauge preselection - X axis
- \* Cutting gap adjustment
- \* Quantity
- \* Cutting length limitation
- \* Material preselection, including sheet thickness
- \* Cutting line lighting
- motorized backgauge, travel = 1,000 mm (X axis)
- \* on ball screws
- \* autom. Can be folded up at max.travel, for longer cuts

- 1x side stop
- 2x front support arms
- Ball casters in the front support table
- hinged finger protection, with safety switch
- BOSCH / HOERBIGER hydraulic system
- SIEMENS electrical system
- light barrier behind the machine (safety device)
- foot switch
- CE mark / declaration of conformity
- User manual: machine and control in German

## Machine attributes

|                            |                       |
|----------------------------|-----------------------|
| sheet width:               | 2600 mm               |
| plate thickness:           | 8,0 mm                |
| thickness at "Niro-steel": | 5,0 mm                |
| down holder:               | 12 Stück              |
| no. of strokes:            | 18 Hub/min            |
| oil volume:                | 200 ltr.              |
| cutting angle:             | 1,5 °                 |
| engine output:             | 15,0 kW               |
| weight of the machine ca.: | 6.300 kg              |
| range L-W-H:               | 3525 x 2350 x 1700 mm |

## Machine images



