

## ERMAK CNC HGS 3100-8 HH MONO (1125-9325430)



**Control type**  
konventionell

**Construction year**  
2017

**Machine no.**  
1125-9325430

**Make**  
ERMAK

**Location**  
48683 Ahaus

-----  
electr. / hydraulic CNC swing cut shears  
\* with CYBELEC CNC touch screen control  
\* with electr. / hydr. Kerf adjustment  
-----

### Furnishing:

- CNC electr. / hydraulic swing cut shears
- CYBELEC CNC touch screen controller, model CybTouch 8
- \* Backgauge preselection - X axis
- \* Cutting gap adjustment
- \* Number of pieces
- \* Cutting length limitation
- \* Material preselection, including sheet thickness
- \* Cutting line lighting
- motorized backgauge, travel = 1,000 mm (X axis)

\* on ball screws

\* autom. Can be folded up at max.travel, for longer cuts

- 1x side stop

- 2x front support arms

- Ball casters in the front support table

- hinged finger protection, with safety switch

- BOSCH / HOERBIGER hydraulic system

- SIEMENS electrical system

- light barrier behind the machine (safety device)

- 1x foot switch

- CE mark / declaration of conformity

- User manual: machine and control in German

\*\* including special equipment:

- pneumatic sheet metal holding device (monoblock)

## Machine attributes

sheet width:	3100 mm
plate thickness:	8.0 mm
thickness at "Niro-steel":	6.0 mm
distance between columns:	3100 mm
down holder:	14 Stück
no. of strokes:	16 Hub/min
oil volume:	150 ltr.
cutting angle:	1.2 °
control:	CYBELEC
total power requirement:	15.0 kW
weight:	7350 kg
range L-W-H:	4000 x 2100 x 1640 mm

## Machine images





