

ERMAK CNC HVR 3100-13 (1125-8323029)



Control type
CNC

Machine no.
1125-8323029

Make
ERMAK

Location
Ahaus

heavy electr. / hydraulic CNC guillotine shears - guided by a backdrop

* with CYBELEC CNC touch screen control

* with electr. / hydr. Cutting gap and cutting angle adjustment

Furnishing:

- CNC guillotine guiding shears
- with electr. / hydr. Cutting gap and cutting angle adjustment
- CYBELEC CNC touch screen controller, model CybTouch 8
- * Backgauge preselection - X axis
- * Cutting gap adjustment
- * Number of pieces
- * Cutting length limitation
- * Material preselection, including sheet thickness
- * Cutting line lighting
- motorized backgauge, travel = 1,000 mm (X axis)
- * on ball screws

* autom. Can be folded up at max.travel, for longer cuts

- 1x side stop
- 2x front support arms
- Ball casters in the front support table
- hinged finger protection, with safety switch
- BOSCH / HOERBIGER hydraulic system
- SIEMENS electrical system
- light barrier behind the machine (safety device)
- foot switch
- CE mark / declaration of conformity
- User manual: machine and control in German

Machine attributes

sheet width:	3100 mm
plate thickness:	13,0 mm
thickness at "Niro-steel":	8,0 mm
down holder:	14 Stück
no. of strokes:	11 - 20 Hub/min
oil volume:	310 ltr.
cutting angle:	0,05 - 2,0 °
throat:	350 mm
table height:	900 mm
total power requirement:	22,0 kW
weight of the machine ca.:	13.300 kg
range L-W-H:	5.110 x 2.570 x 2.400 mm

Machine images



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH