

ERMAK CNC HVR 3100-6 HH (1125-8328127)



Control type
CNC

Machine no.
1125-8328127

Make
ERMAK

Location
Ahaus

electr. / hydraulic CNC guillotine shears - guided by a backdrop
* with CYBELEC CNC touch screen control
* with electr. / hydr. Cutting gap and cutting angle adjustment

Furnishing:

- CNC guillotine guillotine shears
- with electr. / hydr. Cutting gap and cutting angle adjustment
- CYBELEC CNC touch screen controller, model CybTouch 8
- * Backgauge preselection - X axis
- * Cutting gap adjustment
- * Number of pieces
- * Cutting length limitation
- * Material preselection, including sheet thickness
- * Cutting line lighting

- motorized backgauge, travel = 1,000 mm (X axis)
- * on ball screws
- * autom. Can be folded up at max.travel, for longer cuts
- 1x side stop
- 2x front support arms
- Ball rollers in the front support table
- hinged finger protection, with safety switch
- BOSCH / HOERBIGER hydraulic system
- SIEMENS electrical system
- light barrier behind the machine (safety device)
- foot switch
- CE mark / declaration of conformity
- User manual: machine and control in German

** including special equipment:

- pneumatic sheet metal holding device

Machine attributes

sheet width:	3100 mm
plate thickness:	6,0 mm
distance between columns:	3.100 mm
down holder:	14 Stück
no. of strokes:	16 - 24 Hub/min
oil volume:	150 ltr.
cutting angle:	0,5 - 1,5 °
thickness at "Niro-steel":	4,0 mm
column arm:	350 mm
engine output:	11,0 kW
weight of the machine ca.:	7.060 kg
range L-W-H:	4,1 x 2,2 x 2,19 m

Machine images



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



