

ERMAK CNC HVR 4100-10 HH MONO (1125-8328130)



Control type
konventionell

Machine no.
1125-8328130

Make
ERMAK

Location
Ahaus

electr. / hydraulic CNC guillotine shears - guided by a backdrop
* with CYBELEC CNC touch screen control
* with electr. / hydr. Cutting gap and cutting angle adjustment

Furnishing:

- CNC guillotine guillotine shears
- with electr. / hydr. Cutting gap and cutting angle adjustment
- CYBELEC CNC touch screen controller, model CybTouch 8
- * Backgauge preselection - X axis
- * Cutting gap adjustment
- * Number of pieces
- * Cutting length limitation
- * Material preselection, including sheet thickness
- * Cutting line lighting

- motorized backgauge, travel = 1,000 mm (X axis)
- * on ball screws
- * autom. Can be folded up at max.travel, for longer cuts
- 1x side stop
- 2x front support arms
- Ball rollers in the front support table
- hinged finger protection, with safety switch
- BOSCH / HOERBIGER hydraulic system
- SIEMENS electrical system
- light barrier behind the machine (safety device)
- foot switch
- CE mark / declaration of conformity
- User manual: machine and control in German

** including special equipment:

- pneumatic sheet metal holding device
- * Monoblock design


Machine attributes

sheet width:	4100 mm
plate thickness:	10,0 mm
thickness at "Niro-steel":	6,0 mm
down holder:	28 Stück
no. of strokes:	18 Hub/min
oil volume:	260 ltr.
cutting angle:	0,5 - 2 °
control:	CYBELEC Cybtouch
engine output:	22,0 kW
back stop - adjustable:	1000 mm
range L-W-H:	6100 x 2580 x 2460 mm
weight:	15.100 kg.

Machine images



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH