

ERMAK HGS 3100-8 (1125-9325400)



Control type
NC

Construction year
2003

Machine no.
1125-9325400

Make
ERMAK

Location
Ahaus

** Current new price approx. 40.000 Euro

** Special price upon request

Equipment:


- NC electro-hydraulic swing beam shear
- ELGO NC control unit "P9521", front left
- NC electro-motorized backgauge
- * Travel range = 5.0 - 1,000 mm (X axis)
- * On recirculating ball screws
- * Positioning accuracy 0.1 mm
- * Travel speed 80.0 mm/sec.
- Manual lateral cutting gap adjustment
- 1x side stop, with T-slot and mm scale
- 2x front support arms, with T-slot and mm scale
- Ball transfer units in the front support table
- Hinged finger guard with safety switch
- BOSCH/HOERBIGER hydraulic system
- SIEMENS electrical system
- 1x freely movable foot switch



- 2x front emergency stop buttons
- Rear safety guard
- Operating instructions (PDF)

Machine attributes

sheet width:	3100 mm
plate thickness:	8.0 mm
thickness at "Niro-steel":	6.0 mm
down holder:	14 Stück
no. of strokes:	20 Hub/min
cutting angle:	1.2 °
control:	ELGO "P9521"
work height max.:	800 mm
oil volume:	150 ltr.
total power requirement:	15.0 kW
weight:	7000 kg
range L-W-H:	3900 x 2300 x 1600 mm

Machine images





© A + B Werkzeuge Maschinen Handels GmbH

ermaksan®		
MAKİNA İMALAT SANAYİİ		
TYPE	HGS 3100 8	
MODEL	2003	
SERIAL NO.	1224	
CAPACITY	8	mm.
CUTTING / min.	16	
WEIGHT	7000	kg.
MOTOR POWER	15	kW.
ELECTRIC	415	V
IP	54	
OIL TANK	150	lt.
WIDTH	2200	mm.
LENGTH	3800	mm.
HEIGHT	1600	mm.
Yeni Yalova Yolu 15. Km. Ovaakça BURSA / TÜRKİYE Tel : (00 90 224) 267 19 01 (10 Lines) Fax : (00 90 224) 267.05 39		