

Maschinen www.heinz-sanders.de

Papenburg Heinz Sanders GmbH Friederikenstraße 100 26871 Papenburg info@heinz-sanders.de

Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de Spelle Heinz Sanders GmbH Robert-Bosch-Straße 9 48480 Spelle spelle@heinz-sanders.de

ERMAK HGS 3100 x 6 (1125-3320066)



Control type NC

Construction year 2008

Machine no. 1125-3320066

Make ERMAK

electr. / hydraulic CNC swing cut shears

- * with CYBELEC CNC touch screen control
- * with electr. / hydr. Kerf adjustment

Furnishing:

- CNC electr. / hydraulic swing cut shears
- CYBELEC CNC touch screen controller, model CybTouch 8
- * Backgauge preselection X axis
- * Cutting gap adjustment
- * Number of pieces
- * Cutting length limitation
- * Material preselection, including sheet thickness
- * Cutting line lighting
- motorized backgauge, travel = 1,000 mm (X axis)
- * on ball screws
- $\ensuremath{^{*}}$ autom. can be folded up at max.travel, for longer cuts
- 1x side stop

- 2x front support arms
- Ball rollers in the front support table
- hinged finger protection, with safety switch
- BOSCH / HOERBIGER hydraulic system
- SIEMENS electrical system
- Light barrier behind the machine (safety device)
- foot switch
- CE mark / declaration of conformity
- User manual: machine and control in German
- ** including special equipment:
- pneumatic sheet metal holding device

Machine attributes

sheet width:

plate thickness:
6 mm

rear stop:
1000 mm

cutting angle:
4 Stk

no. of strokes:
150 I

3100 mm

1,2 °

14 Stk

18 Hub/min

150 I

total power requirement: 11 kW

dimensions of the machine ca.: 3900 x 1900 x 1600 $\,\mathrm{mm}$

weight: 5500 kg

Machine images







Maschinen www.heinz-sanders.de

Papenburg Heinz Sanders GmbH Friederikenstraße 100 26871 Papenburg info@heinz-sanders.de

Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de

Heinz Sanders GmbH Robert-Bosch-Straße 9 48480 Spelle spelle@heinz-sanders.de







