

FILTOO SIG 230 / BGIA (1125-8459706)



Control type
 konventionell

Machine no.
 1125-8459706

Make
 FILTOO

Location
 48683 Ahaus

Description:

The newly developed filtoo filter unit from TEKA is a mobile filtration system suitable for a wide range of applications involving the filtration of fumes, dust, and gases. It is also suitable for high-alloy steels (stainless steel).

The unit has been tested according to DIN EN ISO 15012-1 (2005) and is IFA (formerly BGIA) certified (IFA No. 201020469/1140) for welding fume class "W3" (separation efficiency: 99.9%).

Where can the SIG 230 filtoo be used?

- at welding workstations
- in workshops
- for soldering applications
- by restorers
- in metalworking shops

Features:

- BGIA-certified extraction and filtration system
- . IFA 1005030 for extraction
- . from high-alloy steels Steels & Non-ferrous Metals

- Operating instructions in German

Optional equipment available at extra cost (recommended)

- STAVO retrofit kit (dust pre-separation)

- For FILTOO with spark guard and collection tray

Note:

- This unit is only used for extracting dry dust/fumes

- Read the operating instructions before initial use

Machine attributes

volume capacity:	1600 m3/h
feed volume:	99,9 %
length:	3.000 Absaugschlauch mm
motor:	230 Volt
motor:	1,1 KW
weight:	80,0 kg
range L-W-H:	580 x 580 x 900 mm

Machine images





© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH